

MAY 30 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

in re application of

Jim Lindemulder

Serial No.: 10/724,069

Group Art Unit: 1724

Filed: December 1, 2003

Examiner: Christopher Upton

Title: PROTECTOR FOR SEWER SYSTEM INLET

Our File: 2409 US

May 30, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450
USA


Dear Sir:

In response to the Official Action dated May 10, 2005, applicant hereby elects, without traverse, claim 8 for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. There are no claims readable on claim 8.

The examiner is correct that claim 2 should depend from claim 1.

Yours sincerely,

SEABY & ASSOCIATES



George A. Seaby
Reg. No. 24,034

GAS:mg

603 - 250 City Centre Ave.
Ottawa, ON K1R 6K7, Canada
Tel: (613) 232-5815
Fax: (613) 232-5831

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to the Patent and Trademark Office on the date shown below.

May 30, 2005
Date

George A. Seaby
George A. Seaby
Reg. No. 24,084